
	DET				Devil						17.	I		NI	Class				4858	1			
SIGN	DEL	AIL	Sa	alem	Park	way 1	to Dr	. Mar	tin Li	uther	King	Park	way I	Name	Cha	nge				1	<u> </u>	<u> </u>	
																		WIDTH X		24'-	6" x 8'-	6	
	BORI R=12	2" ⊢							·'-6"						—			BORDER		12"			
	TH=	1"	17"					2	60"					17	7"						rhead		
															15	5.01"	_	BACKGR		-	: EXISTI		
		25"							V.	ei	70					5"EM		BACKGRU	JUND	COL			
		8"E	Bl	JSIN	ESS	,)					26						"	LEGEND/		-	: ASTM		
		8"					n				I				$+^{12}$		73.51"		BORDER		DR: W		
	8'-6"	36"		99	F)		Dr	Í M			Jr	P	k w	Υ		5"EM					JR. W	inte	
				//	┗_/									-	15	5"		SYMBOL		x	Y	WD	НТ
		+							2	M	ILE	S			15	5"Е	12"E	EXISTIN	G	23.3	25	45	36
		25"														<u>,</u> ,,	- 16.5"						
							1	Requir	ed	Pa	y Item:	а	Substr ALUM	rate: EXIS	STING E	EXTRU	DED						
Dimens	sions ar	e in	inche	s.tenth	IS		-								e to lov	ver lef	ft corner						
[•	5									,
]
											LET	TER I	POSIT	IONS	(X)				LE	NGTH	SIZE/	SERIES	
K	е	i	Z	е	r						LET	TER I	POSIT	IONS	(X)				LE	NGTH			
K 151		i 179.8			r 215.8	2					LET	TERI	POSIT	IONS	(X)				LE	NGTH	SIZE / 15/11 EM 2		
		i 179.8 S				S	S				LET		POSIT	IONS	(X)						15/11 EM 2	.3 000	
151	165.3 U	S	187.6 I	201.3 N	215.8 E	S	S 68				LET		POSIT		(X)							.3 000	
151 B 17	165.3 U 25.1		187.6 I 41.2	201.3 N 44.8	215.8 E 53.3	S	68	r		P					(X)					72.3	15/11 EM 2 8 E 200	.3 000 00	
151 B 17 D	165.3 U 25.1 r	S 33.2	187.6 I 41.2 M	201.3 N 44.8 L	215.8 E 53.3 K	S 60.4	68 J	r 200.7	208.2	P	k	w	у		(X)					72.3	15/11 EM 2	.3 000 00	
151 B 17 D 97.4	165.3 U 25.1 r 114	S	187.6 I 41.2 M	201.3 N 44.8 L 149.1	215.8 E 53.3 K 162.6	S	68 J		208.2		k	w	у		(X)					72.3	15/11 EM 2 8 E 200 15/11 EM 2	.300 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у		(X)					72.3	15/11 EM 2 8 E 200	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	
151 B 17 D 97.4 2	165.3 U 25.1 r 114 M	S 33.2 121.5	187.6 I 41.2 M 130.9 L	201.3 N 44.8 L 149.1 E	215.8 E 53.3 K 162.6 S	S 60.4 174.9	68 J		208.2		k	w	у							72.3	15/11 EM 2 8 E 200 15/11 EM 2	.3 000 00	

IGN DET	AIL	S	alem	Park	wav t	o Dr.	. Mar	tin Lu	ther	Kina	Park	wav	Name	e Char	nge	SIGN NU	MBER	2			
					···/ •										5-	WIDTH >		18'-	-0" x 8'-	-6"	
		0005	- D													BORDER		2"			
		BORDE R=12" TH=2'	-				-	s'-0" —								CORNER	RADIUS	12"			
		1	- ^{12"}	•			1	92" ——				-+ <u>+</u> 12"	-			MOUNT	NG	Ove	rhead		
		12	$\frac{21}{1}$	пис		~ ~							171/2"			BACKGR	OUND	ТҮРЕ	: EXIST	ING	
			<u>%</u> 	003	INES	5		r N		K			15"					COL	OR: EX	KISTINC	3
				6									12"			LEGEND	/BORDER	ТҮРЕ	: ASTM	TYPE IX	
			56"	9	9E		ĺ			-			12" 15"					COL	OR: W	'hite	
		τώο Ι			ニフ	·		r N Pa			a		+								
			10"			~							18"			SYMBOL		х	Y	WD	HT
			15"			1,	Δ	MIL	E				12"			EXISTIN	IG	18.3	37.5	45	- 30
		12	21/2"										121/2"								
		-											_								
						1	Requir	ed	Pav	Item: a	а	Subsi ALUN	trate: EX 1INUM	ISTING E	KTRUDED						
)imensions a	re in	inche	es.tenth	IS		·	nequi	cu						ge to low	er left corner						
)imensions a	re in	inche	es.tenth	S										ge to low	er left corner						
Dimensions a	re in	inche	es.tenth	IS						Letter	location	ns are p			er left corner		LE	NGTH	SIZE/	SERIES	
Dimensions a	re in	inche	es.tenth	E	S	S				Letter	location	ns are p	anel ed		er left corner		LE	NGTH			
	S									Letter	location	ns are p	anel ed		er left corner		LE	57.5	SIZE / 8 E 20		
B U	S		N	E		S	r			Letter	location	ns are p	anel ed		er left corner				8 E 20	00	
B U 12 20.2	S 1 28.2	і 36.2 М	N 39.8 L	E 48.3	55.4	S 63 J				Letter	location	ns are p	anel ed		er left corner					00	
B U 12 20. D r	S 1 28.2	і 36.2 М	N 39.8 L	E 48.3 K	55.4	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5	8 E 20 15/1 ⁻ EM 2	00	
B U 12 20.7 D r 89.4 106. P a	S 1 28.2 1 113.6 r	I 36.2 M 122.9 k	N 39.8 L 141.1	E 48.3 K 154.6	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5	8 E 20	00	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8	S 1 28.2 1 113.6 r	I 36.2 M 122.9 k 145.8	N 39.8 L 141.1 w 158.7	E 48.3 K 154.6 a	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	
B U 12 20.7 D r 89.4 106. P a 104.4 118.8 1/4 M	S 1 28.2 1 113.6 r 3 134.7	I 36.2 M 122.9 k 145.8 L	N 39.8 L 141.1 w 158.7 E	E 48.3 K 154.6 a 177	55.4 166.9 y	S 63 J	r			Letter	location	ns are p	anel ed		er left corner			57.5 110.9 99.6	8 E 20 15/1 ⁻ EM 2 15/1 ⁻ EM 2	00 1.3 000	



IGN [DETA	AIL	S	alem	Park	way t	o Dr.	Mar	tin Lu	uther	King	Park	way	Name	e Chan	ige	SIGN N	IUMBER	4			
																•	WIDTH	x HEIGHT	8'-0	" x 4'-6	5"	
																	BORDE	R WIDTH	1"			
				BOR R=6	DER "	-		— 8'	-0" —			-					CORNE	R RADIUS	6"			
				TH=	1"	93/8"		77	71/8"—		- - 93/	-					MOUN	TING	Grou	und		
					···· •	y3/81					<u>9</u> 3/		,				BACKC	ROUND	ТҮРЕ	: ASTM	TYPE III	or IV
					11"		D)r N		K	lr	8"							COLO	DR: G	reen	
					12"							-6"					LEGEN	D/BORDER	ТҮРЕ	: ASTM	TYPE III	or IV
				4'-6"	+			Pa	rk	Wa	V	8"							COLO	DR: W	'hite	
				,4	17"			<u> </u>			- <u>y</u>	6,,"										
					<u> </u>					4 _		5"	,				SYMBC)L	Х	Y	WD	НТ
					<u>8</u> "			τIa	MLI rk and				,				AR_T	ype D	9.4	31	8	1.
				<u> </u>	0							✓o					AR_T	ype D	72.5	6	8	1
																						-
							1	Requir	ed	Par	v Item : :	۹	Subst	rate FX	TRUDED	ΔΕΠΜΙΝΗΜ						
imensio	ons are	e in	inche	es.tenth	s		1	Requir	ed		y ltem: a Letter l					ALUMINUM er left corner						
imensio	ons are	e in	inche	es.tenth	S		1	Requir	ed							ALUMINUM er left corner						
imensio	ons are	e in	inche	es.tenth	5		1	Requir	ed		Letter	ocation	s are pa		ge to lowe				ENGTH	SIZE/	SERIES	
imensio	ons are	e in	inche M	es.tenth	s K		J	Requir r	ed		Letter	ocation	s are pa	anel edg	ge to lowe			L	ENGTH			
D				L		66.8		r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				ENGTH	SIZE / 8/6 EM 2		
D 25.4	r 34.3	38.3	M 43.3	L 53	K 60.2		J	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe					8/6 EM 2	000	
D 25.4 P	r 34.3 a	38.3 r	M 43.3 k	L 53 w	K 60.2 a	у	J	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1		000	
D 25.4 P 33.4	r 34.3 a 41.1	38.3 r 49.6	M 43.3 k 55.5	L 53 w	K 60.2 a 72.2	у 79.8	J 71.8	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe					8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1	38.3 r 49.6	M 43.3 k 55.5	L 53 w	K 60.2 a 72.2	у 79.8	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	
D 25.4 P 33.4 P	r 34.3 a 41.1 o	38.3 r 49.6 r	M 43.3 k 55.5 t	L 53 w 62.4	К 60.2 72.2 а	y 79.8 n	J 71.8 d	r	ed		Letter	ocation	s are pa	anel edg	ge to lowe				59.1	8/6 EM 2 8/6 EM 2	000	

IGN	DET	AIL	Sa	alem	Park	way t	o Dr.	Mar	tin Li	uther	King	Park	way N	Vame	Change	SIGN NU	MBER	5			
													-			WIDTH x	HEIGHT	8'-0	" x 7'-0)"	
					BORDE $R=9$ "	.r ⊢		8'	-0"							BORDER	WIDTH	1"			
					TH=1"	8.45	7"	79	9.1"		8,45"					CORNER	RADIUS	9"			
			T		T f	5"I (1					То"				MOUNTI	NG	Grou	und		
				30"	1 10	- T //		Pol	rtla	a n d) -	8" 8"EM 7" 6"E 10.52 8"				BACKGR	DUND	TYPE	: ASTM	TYPE III	or IV
				30	12	+						7."						COLO	DR: G	reen	
				8"E	+	-+	INTERSTATE	Sc	літц		- 1	8"				LEGEND/	BORDER	TYPE	: ASTM	TYPE III	or IV
			7,-0"	Ο Γ.	+ 18	3"	(5)	J	OUTH		-	10 E	"					COLO	OR: W	hite	
			7		6	5 "						8"				[1			
				46"	8"E	M	Dr	MLł	{ J	r í	-	+-				SYMBOL		X	Y	WD	н
					8"E	5" <u> </u>	Pa	ark	wa	V		27.48	,"			AR_Typ	e D	13.5		8	1
						3"										M1_1		8.4	36	18	1
																AR_Typ	e D	75.6	27.5	8	1
																					1
							1	Requir	ed	Pa	y I tem:	a	Substr	ate: EXTF	RUDED ALUMINUM						
imensi	ions ar	e in	inche	es.tenth	15		1	Requir	ed						RUDED ALUMINUM to lower left corner						
imensi	ions ar	e in	inche	es.tenth	15		1	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner						
	ions ar	e in		es.tenth	15			Requir	ed		Letter	location	ns are pa		to lower left corner		L	ENGTH		SERIES	
P	0	r	t		a	n	d	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner		L				
		r		es.tenth	1	n 69.5	d	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner			ENGTH	SIZE / 8/6 EM 2		
P	0	r	t		a		d	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner				8/6 EM 2	000	
P 29.5 S	o 37.2	r 45.1	t 50.2 T	і 56.9 Н	a		d	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner					000	
P 29.5 S	0 37.2 0	r 45.1 U	t 50.2 T	і 56.9 Н	a		d	Requir	ed		Letter	location	ns are pa	nel edge	to lower left corner			53	8/6 EM 2 8,6 E 200	000	
P 29.5 S 34.4	0 37.2 0 42.1	r 45.1 U 48.5	t 50.2 T 54.4 M	і 56.9 Н 59.9	a 61		d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53	8/6 EM 2	000	
P 29.5 S 34.4 D	o 37.2 0 42.1 r 17.3	r 45.1 U 48.5 21.3	t 50.2 T 54.4 M 26.3	I 56.9 Н 59.9 L 36	а 61 К 43.2	69.5 49.8	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200	000	
P 29.5 S 34.4 D 8.4	o 37.2 0 42.1 r 17.3	r 45.1 U 48.5 21.3	t 50.2 T 54.4 M 26.3	I 56.9 Н 59.9 L 36 w	а 61 К 43.2	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200 8/6 EM 2	000	
P 29.5 S 34.4 D 8.4 P	0 37.2 0 42.1 17.3 a	r 45.1 U 48.5 21.3 r	t 50.2 T 54.4 M 26.3 k	I 56.9 Н 59.9 L 36 w	а 61 К 43.2 а	69.5 49.8 y	d 77.2 J	r	ed		Letter	location	ns are pa	nel edge	to lower left corner			53 30.3 59.1	8/6 EM 2 8,6 E 200 8/6 EM 2	000	

												-						
IGN DETAIL	Sale	<u>em Park</u>	way to	o Dr.	Mart	tin Lu	uther	King	Park	way l	Name	Change		NUMBER	6			
													WIDT	'H x HE I GHT)" x 5'-()"	
		BORDER	۲ ا		— 7'-	-0" —							BORD	DER WIDTH	1"			
		R=6" TH=1"											CORM	NER RADIUS	6"			
			47/8"		/4	3/8"—		47/8					MOU	NTING	Gro			
		61 <u>-</u>	<u> </u>			~			61/2"	' 81/	2"		BACK	GROUND	TYPE	E: ASTM	TYPE III	or IV
		18				S	00	ГН	⁸ "	$\overline{1}6$ "					COL	OR: G	reen	
					9	/			17"	Î			LEGE	ND/BORDER	TYPE	E: ASTM	TYPE III	or IV
		11= - - - -	<u>#2"</u> 8"	<u></u>	_										COL	OR: W	hite	
		ίΩ.			Dr	ML	ΚJ	r	8"	451/	2"							
		26	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			4			<u></u> 6"	I			SYMB	BOL	Х	Y	WD	НТ
		20			Pa	MLI ark	wa	Y	8"	.			M1_		22.8		18	18
		<u>+</u>							61/2"	!			AR_	Type D	4.8	26	8	12
				1	Require	ed	Pav	/ Item:	a	Substi	rate: EXTI							
imensions are in	inches.t	:enths		1	Require	ed		y ltem: Letter				RUDED ALUMINUM to lower left corne	r					
imensions are in	inches.t	tenths		1	Require	ed		Letter	ocation	is are pa	anel edge	e to lower left corne	r		FNGTH	SIZE/	SFRIFS	
imensions are in				1	Require	ed		Letter	ocation	is are pa		e to lower left corne	r 📃	L	ENGTH		SERIES	
S 0 U	T	Н		1	Require	ed		Letter	ocation	is are pa	anel edge	e to lower left corne	r	L		SIZE / 8,6 E 20		
S 0 U 48.8 56.5 62.9	T 9 68.8 7	H 74.3				ed		Letter	ocation	is are pa	anel edge	e to lower left corne	r	L	ENGTH 30.3	8,6 E 20	00	
S O U 48.8 56.5 62.9 D r	T 9 68.8 7 M	H 74.3 L K		J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne	r	L	30.3	8,6 E 20	00	
S 0 U 48.8 56.5 62.9	T 9 68.8 7 M	H 74.3	60.7			ed		Letter	ocation	is are pa	anel edge	e to lower left corne	r	L			00	
S O U 48.8 56.5 62.9 D r	T 9 68.8 7 M 8 40.8 4	H 74.3 L K	60.7 y	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne		L	30.3	8,6 E 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3 49.9	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3 49.9	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3 49.9	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3 49.9	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	
S O U 48.8 56.5 62.9 D r 25.7 32.7 35.8 P a r	T 9 68.8 7 M 8 40.8 4 k	H 74.3 L K 48.9 55.1 w a	у	J	r	ed		Letter	ocation	is are pa	anel edge	e to lower left corne			30.3	8,6 E 20 8/6 D 20	00	

SIGN	DET	AIL	S	alem	Park	way t	o Dr	. Mar	tin Lu	uther	Kinc	ı Parl	kway I	Name	e Cha	ange		SIGN	NUMBER	7			
				RDER					-6"		-					J		WIDT	H x HEIGHT	9'-6	" x 5'-	6"	
			R=	6"														BORD	DER WIDTH	1"			
			TH	=1"	4.7"			10	4.6"			4.7	,,					CORN	IER RADIUS	6"			
													<u> </u>					MOUI	NTING	Gro	und		
						C	ha	m	~ \//	~ C	h C		/ 8"E	- 14				ВАСК	GROUND	TYPE	: ASTN	1 TYPE III	or IV
				27"		C) E		aw	аг	VU			_ IVI . ,,						COLO	DR: C	ireen	
		2	:	_									+1.0	, .,,)				LEGEI	ND/BORDER	ТҮРЕ	: ASTM	I TYPE III	or IV
			9	12"	4)r I	ML	Κ.	lr F	Pk w	v	8"E	-						COLO	OR: V	Vhite	
		ĩ		-	╞╴║┻┻							·	6.5 6.5 8"E 6.5 6.5 6.5 8" 7"	, ,,				[1	
				12"			• •	•					6.5	. ,,)				SYMB		X	Y 27	WID 8	HT 12
				8"EM			Κε	eiz	er				8"						Type D Type D	4.7		8	12
				7"									\perp						туре D	74.5	/	0	
							_			_	_												
										Pav	/ Item:	а	Substr	rate [•] FX	TRUDE	D ALUN	IINIIIM						1
. .							I	Requir	eu														
Dimens	sions ar	e in	inche	es.tenth	S		I	Requir	eu				ns are pa		ge to lo								
Dimens	sions ar	e in	inche	es.tenth	IS			Requir	eu		Letter	locatio	ns are pa	anel ede					L	ENGTH	SIZE	/SERIES	
Dimens	sions ar	e in	inche	es.tenth	15 	a		Requir	d		Letter	locatio		anel ede					L	ENGTH		/SERIES	
C	h	е	m	a	w			R	d		Letter	locatio	ns are pa	anel ede							SIZE		
C 18.8	h 27.5	е	m 43.1		w 61.9	a 71.7	77	R 82			Letter	TER	ns are pa	anel ede					L	ENGTH	8/6 EM 2	2000	
C 18.8 D	h 27.5 r	e 35.3	m 43.1 M	a 54.3 L	w 61.9 K	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4		2000	
C 18.8 D 20.7	h 27.5 r 28.7	е	m 43.1 M 37.4	a 54.3 L 47	w 61.9 K 54.3		77	R 82	d		Letter	TER	ns are pa	anel ede							8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
C 18.8 D 20.7	h 27.5 r 28.7	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	
С 18.8 D 20.7 К	h 27.5 r 28.7 e	e 35.3 32.4 i	m 43.1 M 37.4 z	a 54.3 L 47 e	w 61.9 K 54.3 r	71.7	77 J	R 82 r	d 89.9	P	Letter LET	TER	POSIT	anel ede						76.4	8/6 EM 2 8/6 E 20	2000	

GN	DET	411	S	alem	Park	wav t	o Dr	Mar	tin Li	uther	Kina	Park	เพลง	Nam	e Cha	ange		SIGN	NUME	BER	8			
	0217		J		I allo	may c	0 01.	mai			iking	run	may	itain		unge		·		IEIGHT		" x 1'-	3"	
																			DER W		1"			
																		II		ADIUS	1.5"			
																			NTINC			rhead		
					BORD	ER ,		c'	0"									BACK	KGROL	JND	ТҮРЕ	: ASTN	1 TYPE III	or IV
					R = 11/2	2"		— б	-0 -												COLO	DR: C	ireen	
					TH=1	417	8"	63	33/4"—		41/8"							LEGE	ND/B	ORDER	ТҮРЕ	: ASTM	I TYPE IX	
						ا بر			r Dai	rkwa	$ \rightarrow + $	4" 6"									COLO	DR: V	Vhite	
						<u>i</u>			–0" – ^{33/4} "—		<u>у</u>	5"						L						
																		SYME	BOL		Х	Y	WD	НТ
																								<u> </u>
							1	Requir	ed.	Pay	ltem .	۵		uhstra	to' SHFI	έτ διτιμί	NHM							
mens	ions are	e in	inch	es.tenth	S		1	Requir	ed			ocatior	is are p	anel ec	lge to lo	ET ALUMI ower left								
		e in	1						red		Letter	ocatior	ns are p POSIT	anel ed	lge to lo S (X)	ower left				LE	ENGTH		/SERIES	
D	r		M	L	K		J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left				LE				
		e in 10.5	M	L		26.8	J				Letter LET	ocatior	ns are p POSIT	anel ec IONS	lge to la	ower left				LE	63.8	SIZE 6/4. C 20		
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								
D	r		M	L	K	26.8	J	r		P	Letter LET	ocatior TER F	ns are p POSIT	anel ec IONS	lge to la	ower left								