

Temporary Shelters Code Concepts Summary Warming Shelters

Temporary Shelter Types Proposed: Micro Shelter Villages; Urban Camping; Vehicle Camping; & Warming Shelters

Warming Shelters

Short-term emergency shelter that operates when temperatures or a combination of inclement weather becomes a threat to human health and safety.	<image/>
Maximum Number of Persons	The maximum number of people the building, or space within the building, can accommodate based on its approved building occupancy.
Where & How Allowed	
Where Allowed	 <u>Zones:</u> Allowed in all zones other than Residential Zones. May be allowed within a religious organization in a Residential Zone. <u>Additional Location Standards:</u> Must be located on property owned by a public, non-profit, or commercial entity; Except when located within a religious organization, cannot be located on property used for residential use or abutting a residential zone or school; May only be located within an existing building, or space within an existing building, that has an approved building occupancy that allows the use.

Warming Shelters	
How Allowed	Allowed as Temporary Use (SRC Chapter 701).
Approval Required	Class 1 Temporary Use Permit (Type I ministerial decision of the Planning Administrator. No public notice or comment).
Period of Use	 September to April of each year during those times when adverse seasonal weather conditions, including cold temperatures or a combination of inclement weather, becomes a threat to human health and safety. Permit may be renewed annually.
Operational Requirements	
Management	 Must be Operated by: A local government; An organization with at least two years' experience operating an emergency shelter or providing shelter and support services to the homeless (including a local housing authority, religious corporation, or a public benefit corporation); or A non-profit corporation partnering with any of the above entities. Staffing: On-site manager must be present. Fees: A fee may not be charged for any accommodations or services provided.
Hours of Operation	Open overnight. Closed during daytime hours.
Required Support Services & Facilities	Minimum of two restrooms

Temporary Shelters Code Concepts Summary Vehicle Camping

Temporary Shelter Types Proposed: Micro Shelter Villages; Urban Camping; Vehicle Camping; & Warming Shelters

Vehicle Camping

JR SERVICE

Types of Vehicles Allowed: • Licensed and registered motor vehicles and motorized recreational vehicles (tents and improvised camps are not allowed).	
Maximum Number of Vehicles	8 per site
Maximum Number of Persons	 One Family (individuals related by blood or marriage) per vehicle; or 2 unrelated adults (18 years of age or older) per vehicle.
Where & How Allowed	
Where Allowed	 <u>Zones:</u> Allowed in all zones other than Residential Zones. May be allowed on the site of a religious organization in a Residential Zone. <u>Additional Location Standards:</u> Must be located on property owned by a public, non-profit, or commercial entity; Except when located on the site of a religious organization, cannot be located on property used for residential use or abutting a residential zone or school;

Vehicle Camping	
	Must be located within an existing off-street parking area or on an existing paved area;
How Allowed	Allowed as Temporary Use (SRC Chapter 701).
Approval Required	Class 1 Temporary Use Permit (Type I ministerial decision of the Planning Administrator. No public notice or comment).
Period of Use	 Temporary use permit valid for a maximum period of one year for a specific site. Permit may be renewed annually.
Operational Requirements	
Management	Must be Operated by: > A local government; > An organization with at least two years' experience operating an emergency shelter or providing shelter and support services to the homeless (including a local housing authority, religious corporation, or a public benefit corporation); or > A non-profit corporation partnering with any of the above entities. Operation and Management Plan Required: Daily on-site operation and management will be governed by an operation and management plan required to be submitted and approved with the temporary use permit. Staffing: On-site manager must be present 24-hours a day. Fees: A fee may not be charged for any accommodations or services provided. Operator required to maintain contracts with service providers for the following: > Garbage pick-up and disposal; > Human solid waste pick-up and disposal.
Hours of Operation	Daily – 6 p.m. to 7 a.m.
Required Support Services & Facilities (For health, safety, and support of individuals and the safe operation of the use)	 Minimum of two restrooms; A solid waste collection and servicing area that includes the equivalent of one 32-cubic-foot solid waste receptable for each vehicle in addition to any garbage receptacles otherwise required for the property.
Site Standards	

Vehicle Camping	
Vehicle Use Areas	 All areas of the site used for parking, loading, and vehicle access and maneuvering shall be paved with a hard surface material. Any new or expanded off-street parking, loading, or vehicle use area on the site shall meet all applicable setback and landscaping standards included under SRC Chapter 806 (Off-Street Parking, Loading, & Driveways).
Alterations to Existing Site/Property	Existing trees or existing perimeter landscaping within required setbacks cannot be removed to accommodate the use.

Temporary Shelters Code Concepts Summary Urban Camping

Temporary Shelter Types Proposed: Micro Shelter Villages; Urban Camping; Vehicle Camping; & Warming Shelters

Urban Camping

JR SERVICE

 Shelter Units: Tents and other similar structures designed specifically for camping (motor vehicles, R.V.s, or improvised camping structures are not allowed) <u>All other Structures:</u> Must be portable (no permanent structures allowed) 	<image/>
Maximum Number of Shelter Units	30 per site
Maximum Number of Shelter Residents	2 adults (18 years of age or older) per shelter unit (maximum total of 60)
Where & How Allowed	
Where Allowed	Zones:

Urban Camping	
	 Allowed in all zones other than Residential Zones. May be allowed on the site of a religious organization in a Residential Zone.
	 Additional Location Standards: Must be located on property abutting an arterial or collector street or abutting a street and located within one-quarter mile of a transit route; Except when located on the site of a religious organization, cannot be located on property used for residential use or abutting a residential zone or school; Cannot be located within a mapped hazard area (e.g. flood plain/floodway or mapped landslide hazard susceptibility area); and Cannot be located within an environmentally sensitive area (e.g. riparian corridor or wetland area).
How Allowed	Allowed as Temporary Use (SRC Chapter 701).
Approval Required	Class 2 Temporary Use Permit (Type II administrative decision of the Planning Administrator requiring public notice and comment).
Period of Use	 Temporary use permit valid for a maximum period of six months per calendar year for a specific site. Permit may be renewed annually.
Operational Requirements	
Management	 Must be Operated by: A local government; An organization with at least two years' experience operating an emergency shelter or providing shelter and support services to the homeless (including a local housing authority, religious corporation, or a public benefit corporation); or A non-profit corporation partnering with any of the above entities.
	Operation and Management Plan Required: Daily on-site operation and management will be governed by an operation and management plan required to be submitted and approved with the temporary use permit. <u>Staffing:</u> On-site manager must be present 24-hours a day.
	Fees: A fee may not be charged for any accommodations or services provided.

Urban Camping	
	 Operator required to maintain contracts with service providers for the following: Garbage pick-up and disposal; Human solid waste and grey water pick-up and disposal; Security services; and Pest control services.
Hours of Operation	24-hours a day.
Required Support Services & Facilities (For health, safety, and support of residents and the safe operation of the use)	 Minimum of two restrooms; Minimum of two showers or access to shower facilities; Handwashing facilities; Designated covered food preparation/kitchen area; Designated covered dining area; On-site laundry or access to laundry facilities; Designated area for residents to meet with social workers and health care professionals to receive case management, counseling, support services, and medical treatments or examinations; Designated covered storage area for residents can gather; Secure covered storage area for supplies needed to operate the facility; A solid waste collection and servicing area that includes the equivalent of one 32-cubic-foot solid waste receptable for each shelter unit in addition to any garbage receptacles otherwise required for the property.
Site Standards	
Perimeter Setback	Min. 20 ft. (applies to all structures)
Shelter Unit Space Size	Designated minimum 10 ft. x 10 ft. space for placement of tent.
Shelter Unit Siting	 May be located on existing paved or unpaved area; Must be raised off the ground; Weather protection, in the form of a separate canopy or cover, shall be provided over each tent; Site must be well drained;
Shelter Unit Separation/Spacing	Min. 10 ft. clear open area required around each unit.
Structure Height	Max. 15 ft. (applies to all structures)

Urban Camping	
Off-Street Parking, Bicycle Parking, & Loading	Off-Street Parking: ➤ Min. 1 spaces per on-site manager; plus one additional space for on-site service provider (for case work, counseling, or medical services) Bicycle Parking: ➤ Min. 1 space per shelter unit. Loading: ➤ Min. 1 space (12'W x 30'L x 14' H)
Vehicle Use Areas	 All areas of the site used for parking, loading, and vehicle access and maneuvering shall be paved with a hard surface material. Any new or expanded off-street parking, loading, or vehicle use area on the site shall meet all applicable setback and landscaping standards included under SRC Chapter 806 (Off-Street Parking, Loading, & Driveways).
Alterations to Existing Site/Property	Existing trees or existing perimeter landscaping within required setbacks cannot be removed to accommodate the use.
Site Screening/Security	A minimum 6-foot sight-obscuring fence is required around the perimeter of the site. The perimeter fence shall have a gate that can be closed and locked at night for security.



Temporary Shelters Code Concepts Summary *Micro Shelter Villages*

Temporary Shelter Types Proposed: Micro Shelter Villages; Urban Camping; Vehicle Camping; & Warming Shelters

Micro Shelter Villages

Types of Structures Allowed:

 <u>Shelter Units:</u> Pre-fabricated, portable, non-permanent structures (motor vehicles, R.V.s, tents, similar structures designed for camping, or improvised structures are not allowed)

Examples:

- -Pallet houses;
- -Yurts;
- -Conestoga huts;

Maximum Shelter Unit Size

- -Tiny homes;
- -Other pre-fabricated structures.
- <u>All other Structures:</u> Must be portable (no permanent structures allowed)



Micro Shelter Villages	
Maximum Number of Shelter Units	30 per site
Maximum Number of Shelter Residents	2 adults (18 years of age or older) per shelter unit (maximum total of 60)
Where & How Allowed	
Where Allowed	 Zones: Allowed in all zones other than Residential Zones. May be allowed on the site of a religious organization in a Residential Zone. Additional Location Standards: Must be located on property abutting an arterial or collector street or abutting a street and located within one-quarter mile of a transit route; Except when located on the site of a religious organization, cannot be located on property used for residential use or abutting a residential zone or school; Cannot be located within a mapped hazard area (e.g. flood plain/floodway or mapped landslide hazard susceptibility area); and Cannot be located within an environmentally sensitive area (e.g. riparian corridor or wetland area).
How Allowed	Allowed as Temporary Use (SRC Chapter 701).
Approval Required	Class 2 Temporary Use Permit (<i>Type II administrative decision of the Planning Administrator requiring public notice and comment</i>).
Period of Use	 Temporary use permit valid for a period of one-year. Permit may be renewed annually. Maximum four renewals allowed.
Operational Requirements	
Management	 Must be Operated by: A local government; An organization with at least two years' experience operating an emergency shelter or providing shelter and support services to the homeless (including a local housing authority, religious corporation, or a public benefit corporation); or A non-profit corporation partnering with any of the above entities. Operation and Management Plan Required:

Micro Shelter Villages	
	Daily on-site operation and management will be governed by an operation and management plan required to be submitted and approved with the temporary use permit.
	<u>Staffing:</u> On-site manager must be present 24-hours a day.
	Fees: A fee may not be charged for any accommodations or services provided.
	 Operator required to maintain contracts with service providers for the following: Garbage pick-up and disposal; Human solid waste and grey water pick-up and disposal; Security services; and Pest control services.
Hours of Operation	24-hours a day.
Required Support Services & Facilities (For health, safety, and support of residents and the safe operation of the use)	 Minimum of two restrooms; Minimum of two showers or access to shower facilities; Handwashing facilities; Designated covered food preparation/kitchen area; Designated covered dining area; On-site laundry or access to laundry facilities; Designated area for residents to meet with social workers and health care professionals to receive case management, counseling, support services, and medical treatments or examinations; Designated covered storage area for residents can gather; Secure covered storage area for supplies needed to operate the facility; A solid waste collection and servicing area that includes the equivalent of one 32-cubic-foot solid waste receptable for each shelter unit in addition to any garbage receptacles otherwise required for the property.
Site Standards	
Perimeter Setback	Min. 20 ft. (applies to all structures)
Shelter Unit Siting	 May be located on existing paved or unpaved area; Must be raised off the ground;

Micro Shelter Villages	
	Site must be well drained;
Shelter Unit Separation/Spacing	Min. 10 ft. clear open area required around each unit.
Structure Height	Max. 15 ft. (applies to all structures)
Off-Street Parking, Bicycle Parking, & Loading	 <u>Off-Street Parking:</u> ➢ Min. 1 spaces per on-site manager; plus one additional space for on-site service provider (<i>for case work, counseling, or medical services</i>)
	Bicycle Parking: ➤ Min. 1 space per shelter unit.
	<u>Loading:</u> → Min. 1 space (12'W x 30'L x 14' H)
Vehicle Use Areas	 All areas of the site used for parking, loading, and vehicle access and maneuvering shall be paved with a hard surface material. Any new or expanded off-street parking, loading, or vehicle use area on the site shall meet all applicable setback and landscaping standards included under SRC Chapter 806 (Off-Street Parking, Loading, & Driveways).
Alterations to Existing Site/Property	Existing trees or existing perimeter landscaping within required setbacks cannot be removed to accommodate the use.
Site Screening/Security	A minimum 6-foot sight-obscuring fence is required around the perimeter of the site. The perimeter fence shall have a gate that can be closed and locked at night for security.